(Caption of Cas Application of Authorization	Duke Energy Ca	arolinas, LLC for Business Combination	) ) ) ) ) ) DO	BLIC SERV OF SOUT COVEI OCKET	RE THE VICE COMMIS TH CAROLINA R SHEET	A
(Please type or print) Submitted by:	Michael W. Chi	igeson PF	SC Be	r Number:		-
Address:	701 City Center		Telephone:		(317)249-5721	
	Carmel, Indian		Fax:	iione.	(317)249-5943	
	Cu111101, 11101u11	<u> </u>	Other	:	(611)215 6516	
			Email		n@potomaceconor	mics.com
be filled out complete D Emergency R	etely. elief dema <b>nded</b> in	DOCKETING INFO petition D Request for the	ORMA'	TION (Che	eck all that apply) on Commission's	s Agenda expedWously
INDUSTRY (C	theck one)	NATURE OF ACTION (Check all that apply)				apply)
Electric		D Affidavít		Letter		D Request
D Electric/Gas		D Agreement	$\mathbf{D}$	Memorandum	ì	P Request for Certification
D Electric/Telecon	mmunications	D Answer	D	Motion		Page Request for Investigation
D Electric/Water		D Appellate Review	D	Objection		Resale Agreement
D Electric/Waterl'	Telecom.	Application	D	Petition		Parale Amendment
D Electric/Water/	Sewer	D Brief	D	Petition for R	econsideration	Reservation Letter
D Gas		D Certificate	D	Petition for R	ulemaking	D Response
D Railroad		D Comments	D	Petition for Rul	le to Show Cause	P Response to Discovery
D Sewer		D Complaint	$\mathbf{D}$	Petition to Int	ervene	Return to Petition
D Telecommunica	ations	D Consent Order	D	Petition to Inte	rvene Out of Time	D Stipulation
$\mathbf{D}$ Transportation		Discovery	D	Prefiled Testi	mony	D Subpoena
D Water		D Exhibit	D	Promotion		D Tariff
Mater/Sewer		D Expedited Consideration	on D	Proposed Ord	er	D Other:
D Administrative	Matter	Interconnection Agreeme	ent D	Protest		
D Other:		D Interconnection Amenda	nent D	Publisher's At	ffidavit	
		Late-Filed Exhibit	$\boxtimes$	Report		

# QUARTERLY INDEPENDENT MONITORING REPORT ON DUKE ENERGY CAROLINAS, LLC

First Quarter 2010

Issued by:

Potomac Economics, Ltd.
Independent Market Monitor

CONFIDENTIAL MATERIAL REDACTED

# **Table of Contents**

I.	Overview			
	A. Independent Monitoring  B. Summary of Quarterly Report  C. Complaints and Special Investigations	. 3		
II.	Wholesale Prices and Transactions	. 7		
	A. Prices B. Sales and Purchases			
III.	Transmission Congestion	10		
	A. Overview B. Transm ission Congestion			
IV.	Transmission Access	13		
V.	Monitoring for Anticompetitive Conduct	21		
	<ul><li>A. Wholesale Sales and Purchases</li><li>B. Generation Dispatch and Availability</li><li>C. Analysis of Transmission Availability</li></ul>	24		

# **List of Figures**

Figure 1: Wholesale Power Prices, Peak Load, and Natural Gas Costs	7
Figure 2: Trends in Monthly Electricity and Natural Gas Prices	8
Figure 3: Summary of Duke Sales and Purchases	9
Figure 4: Disposition of Requests for Transmission Service on the Duke System	13
Figure 5: Disposition of Transmission by Duration of Service	14
Figure 6: PJM to DUK Daily Minimum of Hourly Capacity	16
Figure 7: DUK to PJM Daily Minimum of Hourly Capacity	17
Figure 8: DUK to SOCO Daily Minimum of Hourly Capacity	17
Figure 9: SOCO to DUK Daily Minimum of Hourly Capacity	18
Figure 10: DUK to SC Daily Minimum of Hourly Capacity	18
Figure 11: YAD to DUK Daily Minimum of Hourly Capacity	19
Figure 12: Prices for Duke Sales and Purchases	23
Figure 13: Duke Supply Curve	26
Figure 14: Out-of-Merit Dispatch and Congestion Events	28
Figure 15: Outage Quantities	31
Figure 16: Outage Rate	32
Figure 17: Correlation of Average Outage Rates with Wholesale Energy Prices	32

### I. OVERVIEW

This transmission monitoring report addresses the period from January 2010 through March 2010 for Duke Energy Carolinas, LLC (formerly Duke Power, a division of Duke Energy Corporation) ("Duke" or "the Company"). For the purpose of increasing confidence in the independence and transparency of the operation of the Duke transmission system, Duke proposed and FERC accepted in Docket No. ER05-1236-00 the establishment of an "Independent Entity" to perform certain OATT-related functions and a transmission monitoring plan that calls for an "independent transmission service monitor". The Midwest ISO was retained as the Independent Entity ("IE"), and Potomac Economics was retained as the independent transmission service monitor.

The scope of the independent transmission service monitor is established in the transmission monitoring plan. The plan is designed to detect any anticompetitive conduct from operation of the company's transmission system, including any transmission effects from the company's generation dispatch. It is also intended to identify any rules affecting Duke's transmission system which result in a significant increase in wholesale electricity prices or the foreclosure of competition by rival suppliers. As stated in the plan:

The Monitor shall provide independent and impartial monitoring and reporting on: (1) generation dispatch of Duke Power and scheduled loadings on constrained transmission facilities; (2) details on binding transmission constraints, transmission refusals, or other relevant information; (3) operating guides and other procedures designed to relieve transmission constraints and the effectiveness of these guides or procedures in relieving constraints; (4) information concerning the volume of transactions and prices charged by Duke Power in the electricity markets affected by Duke Power before and after Duke Power implements redispatch or other congestion management actions; (5) information concerning Duke Power's calling for transmission line loading relief ("TLR"); and (6) the information provided by Duke Power used to perform the calculation of Available Transmission Capability ("ATC") and Total Transfer Capability ("TTC").

To execute the monitoring plan, Potomac Economics routinely receives data from Duke that allows us to monitor generation dispatch, transmission system congestion, and the Company's response to transmission congestion (both its operational response and its business activities). We also collect certain key data ourselves, including OASIS data and market pricing data.

The purpose of this report is to present the results of our monitoring activities and significant events on the Duke system from January 2010 to March 2010.

### A. Independent Monitoring

Potomac Economics performs the monitoring function on a regular basis, as well as performing periodic reviews and special investigations. Our primary monitoring is conducted by way of regular analysis of market data relating to transmission outages, congestion, and system access. This involves data on transmission outages, transmission reservation requests, Available Transfer Capability ("ATC"), transmission line loading relief ("TLR") and curtailments or other actions taken by Duke to manage congestion. Analyses of this data aid in detecting congestion and whether market participants have full access to transmission service.

In addition to the regular monitoring of outages and reservations, we also remain alert to other significant events, such as price spikes, major generation outages, and extreme weather events that could adversely affect transmission system capability and give rise to the opportunity for anticompetitive conduct.

Our periodic review of market conditions and operations is based on data Duke provides, as well as other data that we routinely collect. Our review consists of four parts. First, we evaluate regional prices and transactions to provide an assessment of overall market conditions. Second, we summarize transmission congestion and the use of schedule curtailments in order to detect potential competitive problems. Congestion is identified by schedule curtailments<sup>2</sup> on Duke's transmission system. Third, we evaluate the disposition of transmission service requests and TTC to analyze transmission access and

As allowed for in the monitoring plan, certain anomalous findings related to general market conditions, TTC, and transmission outages were shared with Duke to obtain clarification prior to submission to FERC and the state commissions.

When we refer to schedule curtailments, we include TLR events because schedule curtailments are the main method used under the TLR procedures to manage congestion.

to detect events on the Duke system that require closer analysis. Finally, to monitor for anticompetitive conduct, we examine periods of congestion and evaluate whether Duke operating activities are consistent with anticompetitive conduct. The operating activities that we evaluate are wholesale purchases and sales, generation dispatch and availability, and transmission availability.

In addition to our periodic reviews, we may from time-to-time be asked to or deem it necessary to undertake a special investigation in response to specific circumstances or events. No such events occurred during the time period of this report.

# B. Summary of Quarterly Report

The following subsections summarize the findings of our monitoring of Duke's operations during the quarter.

#### 1. Wholesale Prices and Transactions

*Prices*. We evaluate regional wholesale electricity prices in order to provide an overview of general market conditions. Over the course of the study period, electricity prices fluctuated between \$30/MWH and \$83/MWH and exhibited very high correlations with peak load and natural gas prices. The high price occurred in early January and is attributed to high load conditions coupled with high fuel prices.

Sales and Purchases. Duke engages in wholesale purchases and sales of power on both a short-term and long-term basis.

## 2. Transmission Congestion

We use TLR events in the vicinity of Duke and schedule curtailments initiated by Duke to identify periods of congestion. Duke manages transmission congestion with

generation redispatch, transmission system reconfiguration, and schedule curtailments.<sup>3</sup> Of these, schedule curtailments have the most direct impact on market access and outcomes. Duke reserves and schedules transmission service primarily on a contract-path basis. A common situation in which Duke uses curtailments is when unscheduled firm reservation rights are released to the market and scheduled for non-firm use, but are then displaced when the higher-priority firm reservation holders subsequently submit schedules. The displaced non-firm schedules are curtailed. Curtailments can also occur when the paths reach their contract-path limits even though they may not be heavily loaded with physical flow. During the period of study, there were 10 curtailments initiated by Duke and 7 TLR events in the region. All the TLR events were initiated by PJM or TVA.

All curtailments regardless of their basis are important because they have the same impact on reducing transmission access. However, only schedules that are curtailed based on physical flow (including TLRs) are potentially influenced by Duke's operation of generation. We analyzed the impact of Duke's generation operations on the flow-based curtailments and do not find that Duke's dispatch of generation contributed to the events.

#### 3. Transmission Access

We evaluate the patterns of transmission requests and their disposition to determine whether market participants have had difficulty accessing Duke's transmission network. If requests for transmission service are frequently denied unjustifiably, this may indicate an attempt to exercise market power. The volume of accepted requests was slightly lower than the previous quarter, but the approval rate was very high, averaging over 99.9 percent over the period of study. Given the high volume of service sold and the low level of refusals, we do not find a pattern in the disposition of transmission requests that indicates restrictive access to transmission.

We use the term schedule loosely in this context. It is actually e-tags that are curtailed. Each e-tag represents a physical sequence and time series of schedules. Therefore, one e-tag may have multiple schedules comprising it. Also, sometimes the same e-tag is curtailed more than once.

For the period of study, we identified certain key paths based on the typical volume of refused transmission service requests and the frequency of curtailed transmission schedules on them. These paths are those with PJM, Duke, Southern Company, Yadkin (YAD) or South Carolina Public Service Authority (Santee Cooper or SC) as sources or sinks, as well as the "CPLE to CPLW" path. We are also interested in the segments of those paths that have a "source" or "sink" in Duke. We examined TTC calculations on these paths for days when ATC became unavailable. Our review of these days determined that the reductions in TTC are justified based on the day-ahead study results, but there is room for improvement in the accuracy of the day-ahead studies.

## 4. Potential Anticompetitive Conduct

Wholesale Sales and Purchases. We examined real-time sales and purchases that were delivered during the period of study. We focus on intra-day bilateral contracts because these best represent the spot price of electricity in markets served by Duke and are the means that Duke would likely use to profit by affecting wholesale electricity prices. Under a hypothesis of market power, we would expect higher sales prices or lower purchase prices during times when transmission congestion arises. Daily average transaction prices ranged between \$\Bar{\text{MWh}}\$ MWh and \$\Bar{\text{MWh}}\$ MWh. There were days when Duke's net sales position could have potentially benefited from the congestion. We scrutinized these days when we evaluated generation and transmission operations and did not find evidence of anticompetitive conduct.

Generation Dispatch and Availability. To further evaluate competitive issues, we examined Duke's generation dispatch to determine the extent to which congestion may be caused or exacerbated by uneconomic dispatch. Congestion can occur even when Duke or any other utility dispatches its units in a least-cost manner. Such congestion does not raise competitive concerns. If an unjustified departure from least-cost dispatch ("out-of-merit" dispatch) occurs and causes congestion, further analysis is warranted to determine whether the Company's conduct raises competitive concerns.

Using an estimated supply curve, we analyze Duke's actual dispatch to determine whether the actual dispatch departed significantly from what we estimate to be the

economic dispatch. We then evaluate the contribution that the out-of-merit dispatch makes to flows on congested transmission paths to determine if congestion was either created and/or exploited by Duke. Our investigation into the congestion events found that generation dispatched out-of-merit order did not have a significant impact on curtailed paths. Consequently, we do not find evidence of anticompetitive conduct. Regardless, we did review the causes of the largest out-of-merit values even though they did not contribute to congestion events; we found that they were caused by justified generation forced derates due to wet coal.

We also conducted an analysis of potential economic and physical withholding to further evaluate generation operations. Indicators of potential economic and physical withholding were minimal and not indicative of anticompetitive conduct.

Evaluation of generation outage rates did not reveal evidence that generation outages were associated with anticompetitive conduct.

*Transmission Availability*. Finally, we evaluated Duke's transmission outage events in order to determine whether these events may have unduly impacted market outcomes during the study period. We found no evidence of anticompetitive conduct.

#### 5. Conclusions

Our analysis did not indicate any potential anticompetitive conduct from operation of the company's transmission system or generation.

## C. Complaints and Special Investigations

We have not been contacted by the Commission or other entities regarding any special investigation into Duke's market behavior, nor have we detected any conduct or market conditions that would warrant a special investigation.

## II. WHOLESALE PRICES AND TRANSACTIONS

#### A. Prices

We evaluate regional wholesale electricity prices in order to provide an overview of general conditions in the market in which Duke operates. Examining price movements can provide insight into specific time periods that may merit further investigation, although they are not definitive indicators of anticompetitive conduct.

Duke is not part of a centralized wholesale market in which transparent spot prices are produced. Wholesale trading in the areas in which Duke operates is conducted under bilateral contracts. Bilateral contract prices are collected and published by commercial data services such as Platts, which we use for this report. Platts publishes prices at various pricing points, including a price for the VACAR (Virginia, Carolinas) subregion of the South East Reliability Council (SERC), which includes Duke's control area. Figure 1 shows the bilateral contract prices for VACAR along with other market indicators.




Figure 1: Wholesale Power Prices, Peak Load, and Natural Gas Costs January 2010 – March 2010

We show system load data because of its expected correlation with power prices. We show natural gas cost because natural gas-fired units are most often the marginal unit supplying the grid, and because fuel costs comprise the vast portion of a generating unit's marginal costs. We use the daily price of natural gas deliveries by Transco at its Zone 5 location, a main pricing point for natural gas purchases by Duke. We translate this natural gas cost to a power cost assuming an 8,000 btu/kWh heat rate. This roughly corresponds to the fuel-cost portion of the operating cost of a natural gas combined cycle unit, which should generally correspond to the competitive price for power. Prices ranged from \$30/MWh to \$83/MWh over the study period. Power prices exhibited high correlations with peak load and natural gas cost. The price spike in early January is due to high load condition coupled with high fuel prices.

The next analysis compares the average VACAR power prices for each month in the study period with the corresponding month of the previous three years. Results are shown in Figure 2 together with the average of the daily Transco Zone 5 natural gas prices. As the figure shows, electricity prices have generally been correlated with natural gas prices over time as one would expect.




Figure 2: Trends in Monthly Electricity and Natural Gas Prices January 2007 – March 2010

Overall, our evaluation of wholesale electricity prices in the Duke region did not indicate a time period that merits particular attention based on pricing patterns.

### B. Sales and Purchases

Duke engages in wholesale purchases and sales of power. These transactions are both firm and non-firm in nature. Figure 3 summarizes Duke's sales and purchase activity for trades that delivered during the study period. We consider only short-term trades because we are interested in transactions that could have allowed Duke to benefit from any potential market abuse during this time period. Short-term transactions include all transactions that are done in the day-ahead or intra-day markets. Longer-term transactions generally occur at predetermined prices that would not be directly affected by transitory periods of congestion. Additionally, short-term transaction prices are good indicators of wholesale market conditions during periods of congestion.

Figure 3: Summary of Duke Sales and Purchases
January 2010 – March 2010

Volume (MWh)

As the figure shows,

We evaluate the prices of real-time transactions during congested periods in Section V.A. to detect

potential anticompetitive conduct.

#### III. TRANSMISSION CONGESTION

#### A. Overview

Duke is located in the SERC region of the North American Electric Reliability Council ("NERC"). NERC is certified as the Electric Reliability Organization ("ERO") in the United States as of July 20, 2006. SERC is divided geographically into five sub-regions that are identified as Entergy, Gateway, Southern, TVA, and VACAR. VACAR is further divided into two intraregional coordination groups including VACAR North and VACAR South for the establishment of Reliability Coordinators ("RC"). Duke is within the VACAR South coordination group along with five other balancing authorities: Progress Energy Carolinas, Inc., South Carolina Electric & Gas Company, South Carolina Public Service Authority (Santee Cooper), Southeastern Power Administration, and Yadkin (a division of Alcoa Power Generation Inc).

Procedures to manage transmission congestion are implemented by the VACAR South Reliability Coordinator. The activities covered in these procedures include performing day-ahead and real-time reliability analysis, working with participants to correct System Operating Limit ("SOL") and Interconnection Reliability Operating Limit ("IROL") violations, and managing TLR events.

The VACAR South Reliability Coordinator utilizes an "Agent" to perform Reliability Coordination tasks. Duke, in addition to being a member of the VACAR South coordination group, is contracted to serve as Agent to perform the duties of Reliability Coordinator for itself and the other five VACAR South member companies. The transmission monitoring plan calls for monitoring Duke's operation of its transmission system to identify anticompetitive conduct, including conduct associated with system operations and reliability coordination. Our monitoring of such conduct is limited to conduct associated with Duke's transmission system and does not extend to Duke's activities as Agent for the VACAR South Reliability Coordinator.

See Transmission Service Monitoring Plan, Section 1.2.

### B. Transmission Congestion

We monitor Duke for potential anticompetitive operation of generation or transmission facilities that may create transmission congestion or otherwise create barriers to rival companies' access to the markets. Duke identifies congestion in the operating horizon through real-time contingency analysis ("RTCA"). In this process, operators monitor line-loadings to keep them within ranges whereby a system outage or "contingency" can be safely sustained. If the line-loadings exceed this safe range (called the system operating limit or "SOL"), then the lines are relieved 5 through generation redispatch, reconfiguration, schedule curtailments, and/or load reduction. 6

Congestion between balancing authorities is monitored and managed through the use of TLR procedures. These procedures invoke schedule curtailments, system reconfiguration, generation redispatch, and load shedding as necessary to relieve congestion by reducing flows below the first-contingency transmission limits on all transmission facilities. Duke's general practice is to curtail schedules and redispatch generation as needed to manage congestion without invoking TLR procedures, but Duke can impact or be impacted by TLR events invoked by neighboring areas.

Schedule curtailments can constitute anticompetitive conduct if they are not justified. They cause an immediate reduction in market access that could affect market outcomes. Accordingly, these congestion events are the basis for our screening of Duke's generation and transmission operations.

For the purposes of our analysis, we consider two types of schedule curtailments. One we refer to as "flow-based curtailments", which are curtailments to accommodate the actual physical flows on facilities as identified by the RTCA. We include TLR events<sup>7</sup> as flow-based curtailments. The other is "contract-path-based curtailments" which are not related to physical flows but rather to contract path limits. Contract-path-based schedule curtailments may be implemented to stay within contract limits even though the path may

Some contingency overloads do not require action to be taken because they do not have the potential to cause cascading outages, substantial loss of load, or major equipment damage.

System reconfiguration actions may include opening tie line breakers, which can cause TTC to go to zero, inducing schedule curtailments.

The types of TLR events that we include are 3a, 3b, 5a and 5b.

not be physically congested. While this has the same effect on market access, these curtailments are not caused by the operation of generation.

Contract-path-based curtailments are implemented when transmission conditions reduce total transfer capability below the level of existing schedules on the contract path, which results in the curtailment of non-firm and possibly firm schedules. Contract-path-based curtailments are also the result of non-firm service being displaced to accommodate a schedule under a firm reservation. Since these conditions are not affected by generation operations, we only use the flow-based curtailments in our analysis of generation operations.

During the period of study, there were ten curtailments initiated by Duke, all of which were contract-path based curtailments. There were seven TLR events in the region. These events were initiated by PJM or TVA.<sup>8</sup>

These occurred on Flowgate 310 (defined as "Person to Halifax 230 kV line for the loss of Wake to Carson 500 kV line"); Flowgate 6 (defined as "Branchburg to Ramapo (5018) 500 kV line");. Flowgate 54 (defined as "AEP to Dominion interface for the loss of Culloden to Wyoming 765 kV line"); Flowgate 1613 (defined as "Volunteer to Phipps Bend 500 kV line"); and Flowgate 1722 (defined as "Clover 230/500 kV Transformer for the loss of Wake to Carson 500 kV line").

### IV. TRANSMISSION ACCESS

A main component of the transmission monitoring function is to evaluate transmission availability on the Duke system. In this section, we evaluate access to transmission by analyzing the disposition of transmission service requests. The patterns of transmission requests and their disposition are helpful in determining whether market participants have had difficulty accessing Duke's transmission network.

In order to make this evaluation, we calculate the volume of requested capacity that spanned the time period under study. For example, if a request was approved in January for service in June, we categorize that as an approval for June. Because requests vary in magnitude and duration, we assign a total monthly volume (GWh) associated with a request, which provides a common measure for all types of requests. Hence, a yearly request for 100 MW has rights for every hour of the month for which the request spans, just a like a monthly request. A request covering less than the entire month is assigned the hours between its stop and start date.

Figure 4 shows the breakdown of transmission service requests in each month from January 2009 through March 2010 and summarizes the disposition of the requests.




Figure 4: Disposition of Requests for Transmission Service on the Duke System January 2009 - March 2010

The figure shows that the total volumes of approved requests during the period have slightly decreased from the prior quarter and slightly increased from the same months from the prior year. The volumes of refused requests have decreased significantly from the same months from the prior year. Although it is not obvious from the figure, the refusal volume was only 12.7 GWh during the first quarter of 2010, which is a decrease from the refusal volume of 119.2 GWh during the same months from the prior year and an increase from the refusal volume of 9.8 GWh during the fourth quarter of 2009. However, the approval rate of transmission service requests was very high over the study period, averaging over 99.9 percent. Given the high volume of approved requests and the low volume of refused requests, we do not find evidence that Duke has restricted access to transmission capability.

To evaluate the disposition of transmission requests further, we compare the volume of transmission requests over the study period by increment of service to the requests from the corresponding period a year prior. This comparison is shown in Figure 5.




Figure 5: Disposition of Transmission by Duration of Service

Figure 5 indicates an increase in the approvals of yearly service and decreases in the approvals of the shorter service increments. This shows an overall increase in approvals with a shift to yearly service. The volume of refusals is only a fraction of what it was in the same period of the prior

year, but both years were close to zero. These increases in approval volumes for yearly service further support our conclusion that transmission access has not become more restrictive.

Our next analysis focuses on TTC for key contract paths. We assess TTC reductions that may limit market access. As mentioned above, Duke's primary means of managing congestion within its system is to forecast congestion using day-ahead studies<sup>9</sup>, and then to reduce the TTC as a means of reducing the schedules that cause the forecasted congestion. The day-ahead study is conducted by the IE using data provided by Duke. The study can result in reductions in TTC on certain paths. To avoid curtailing firm schedules, TTC is not reduced below firm schedule amounts even if the day-ahead studies predict congestion at those levels.

This process creates an incentive for Duke to provide forecasts that reduce TTC and thereby exclude competitors. Therefore, we monitor this process by selecting cases where competition may be impacted adversely, namely, cases where ATC was at or near zero. We then review the TTC associated with these cases to determine whether a reduction of TTC could have caused the ATC to be at or near zero. Such a result would raise concerns of potentially anticompetitive behavior. Thus, if it arises, we make further examination to determine if the reduction in TTC was justified. We monitor this process at two levels. First, we simply check the day-ahead study results to ensure the process is being implemented properly. Then we assess the accuracy of the process if the congested elements are on Duke's transmission system.

Based on the volume of refused transmission service requests ("TSRs") and the frequency of schedule curtailments typically seen, we identify the key paths as those with PJM, Duke, Southern Company, Yadkin (YAD) or South Carolina Public Service Authority (Santee Cooper or SC) as sources or sinks, as well as the "CPLE to CPLW" path. We identify the limiting segments of these paths for further review.

Of the key paths, the segments of "PJM to Duke", "Duke to PJM", "Duke to Southern Company", "Southern Company to Duke", "Duke to South Carolina Public Service Authority" and "Yadkin to Duke" had instances of near zero Non-Firm Capacity (ATC) coincident with TTC reductions. The minimum TTC and ATC for each day for these path segments are shown in

The accuracy of day-ahead studies is limited due to being based on uncertain parameters such as system load and interchange.

Figure 6 through Figure 11 below. Days when the ATC was at or near zero coincident with a reduction in TTC are significant because they may represent Duke improperly reducing TTC in order to reduce competitors' access.




Figure 6: PJM to DUK Daily Minimum of Hourly Capacity January 2010 – March 2010





Figure 7: DUK to PJM Daily Minimum of Hourly Capacity
January 2010 – March 20109

Figure 8: DUK to SOCO Daily Minimum of Hourly Capacity

January 2010 – March 2010







Figure 9: SOCO to DUK Daily Minimum of Hourly Capacity January 2010 – March 2010

Figure 10: DUK to SC Daily Minimum of Hourly Capacity
January 2010 - March 2010






Figure 11: YAD to DUK Daily Minimum of Hourly Capacity

The six segments shown in Figure 6 through Figure II above experienced TTC reductions based on constraints binding in the day-ahead studies. To determine that the reduced TTC values were properly invoked, all six paths were confirmed to have TTC postings consistent with the dayahead studies and the business practices. In all except for three instances, there were no TSR refusals or schedule curtailments associated with the TTC reductions. We focus further on the these instances:

February 24, Duke to SC path: TSR were refused while the TTC was limited by the constraint Though the modeled constraint limited the TTC to 196 MW, Duke only reduced the TTC to 509 MW, which was the level of Transmission Reliability Margin (TRM) plus firm transmission rights. The purpose is to avoid the curtailment of firm schedules unless needed in the real-time. There were no curtailments of firm or nonfirm schedules.

- March 2, Duke to PJM: TSR were refused and non-firm schedules were curtailed on the path while the TTC was limited by the constraint
  Though the modeled constraint limited the TTC to 78 MW, Duke only reduced the TTC to 188 MW, which was the level of TRM plus firm transmission rights. The purpose is to avoid the curtailment of firm schedules unless needed in the real-time. There were no such firm curtailments.
- March 2, Duke to SOCO: TSR were refused and non-firm schedules were curtailed on the path while the TTC was limited by the constraint

  The constraint limited the TTC to 223 MW.

To determine the accuracy of the TTC values, we check to see if the conditions predicted in the day-ahead studies actually occurred in the real-time. First we checked to see if the limiting constraints from the day-ahead studies appeared as violations in the real-time contingency analysis data. Since none of them did, we proceeded to review the actual flows on the constraints. We analyzed the "Mitchell River to Stamey 230 kV line for the loss of the Broadford to Jacksons Ferry 765 kV line" constraint because it was the basis of TSR refusals, schedule curtailments, and it was forecasted to be overloaded due to the TTC being left above the calculated value. From the real-time flow data, we observed that the day-ahead study results were not accurate predictions of the real-time conditions. Even though there was zero ATC, the highest daily real-time flows did not exceed 46% of the limit.

Our review of Duke's activity relating to reducing TTC does not show that access was limited in an anticompetitive manner, but it does show room for improvement in the accuracy of the dayahead studies.

#### V. MONITORING FOR ANTICOMPETITIVE CONDUCT

In this section, we report on our monitoring for anticompetitive conduct. The market monitoring plan calls for identifying anticompetitive conduct, which includes conduct associated with the operation of either Duke's transmission assets or its generation assets that can create transmission congestion or erect barriers to rival suppliers, thereby raising electricity prices. To identify potential concerns, we analyze Duke's wholesale sales in the first subsection below, its dispatch of generation assets in the second subsection, and Duke's transmission operations in the third subsection.

#### A. Wholesale Sales and Purchases

We examine transaction data to determine whether the prices at which Duke sold or purchased power may raise concerns regarding anticompetitive conduct that would warrant further investigation. We are particularly interested in periods when transmission congestion arises. If Duke were engaging in anticompetitive conduct to create congestion, it could potentially benefit by making sales at higher prices in constrained areas or purchases at lower prices adjacent to constrained areas. We examined the real-time bilateral transactions made by Duke using Duke internal records. We focus on real-time transactions because anticompetitive conduct is likely to be more successful in the real-time market.

Competition is facilitated by the ability of rivals to gain market access by reserving and scheduling transmission service. Access will be limited if ATC is unavailable, transmission requests are refused, or schedules are curtailed. Curtailments are also an indicator of congestion because they can be made when a path is over-scheduled or physically overloaded. If Duke's ability to curtail schedules is being abused, we would expect to see systematically higher prices for sales or lower prices for purchases coincident with curtailments.

Recall that curtailments can be flow-based (i.e., the result of flows exceeding the system operating limit), or contract-path-based (i.e., the result of contract-path reservations exceeding the path rating). For our analysis of Duke's sales, we use both types of curtailments. This is reasonable because both types of curtailments reduce market access. Moreover, Duke has the direct ability to affect both flow-based curtailments and contract-

path-based curtailments. It can affect flow-based curtailments through operating activities and it can affect contract-path-based curtailments by unjustifiable schedule reductions. By screening the curtailment data against sales activities, we can focus attention on events that merit further inquiry.

Figure 12 shows the daily average prices received by Duke for real-time bilateral sales and purchases. The blue shading indicates days when curtailments occurred.

To link curtailment events with days when curtailments could have potentially benefited Duke's position in the real-time bilateral markets, we calculate a measurement called the maximum daily effective market position ("Max Effect"). The Max Effect indicates Duke's trade volume that could have potentially benefited from a particular curtailment. Days with curtailments coincident with high Max Effect levels are days when the curtailments could have potentially allowed Duke to exploit the effect of the curtailment. These days are further evaluated to determine if the transactions were done at pricing levels that are consistent with a pattern of anticompetitive conduct.

The Max Effect is calculated in two steps. First, for each hour and for each constraint and delivery point, we calculate a shift-factor-weighted <sup>10</sup> volume of trades by summing the product of the shift factors and the net trade volumes (purchases minus sales). For each hour and each constraint, the values are summed across all delivery points. Second, from this set of values, we select the maximum value for each day. If the maximum value is positive, it appears on Figure 12.

Confidential Material Redacted

The relationship between constrained paths and market delivery points is determined through shift factors, which are the portion of power injected at the market delivery point that flows over the constrained transmission path. Shift factors between -.01 and .01 are set to zero.




Figure 12: Prices for Duke Sales and Purchases

The weighted average daily prices of Duke's sales range between \$11 fMWh. On days with curtailments that may have benefited Duke's net sales position, the average sales price was \$11 fMWh. The weighted average daily prices of Duke's purchases range between \$11 MWh. The weighted average daily prices of Duke's purchase price was \$11 MWh. On days with potentially beneficial curtailments, the average purchase price was \$11 MWh. The high sales prices when the system is congested raise potential competitive concerns.

We evaluated the five days that had a positive Max Effect greater than 50 MW coincident with below average purchases prices or above average sales prices and found the following:





Because Duke may have benefited from these events, we seek to determine whether any action on the part of Duke may have led to the curtailments. Accordingly, we analyze the circumstances surrounding these dates in performing the evaluation of generation dispatch and transmission outages.

## B. Generation Dispatch and Availability

To further evaluate whether Duke's conduct raises any anticompetitive concerns, we examine the company's generation dispatch to determine the extent to which congestion may have been the result of uneconomic dispatch of generation by Duke. We conduct two analyses. We first determine the hourly quantities of out-of-merit dispatch and the degree to which the out-of-merit dispatch contributed to flows on congested transmission paths. If the contribution is significant, further investigation of these times may be warranted. We use flow-based curtailments because, as explained more below, these types of curtailments (as opposed to contract-path-based curtailments) are the ones that would result from unjustified out-of-merit dispatch. Second, we examine the "output gap", which measures the degree to which Duke's generation resources were not fully scheduled when prevailing prices exceeded the marginal cost of running the unit.

## 1. Out-of-Merit Dispatch and Curtailments

Congestion can be a result of limits on the transmission network when utilities dispatch their units in a least-cost manner. This kind of congestion does not raise competitive concerns. If a departure from least-cost dispatch ("out-of-merit" dispatch) is unjustifiable and causes congestion, it raises potential competitive concerns.

We pursue this question by measuring the out-of-merit dispatch on the Duke system. In our analysis, we consider a unit to be out-of-merit when it is dispatched when a lower-cost unit is not fully loaded at the same time. To identify out-of-merit dispatch, we first estimate Duke's marginal cost curve or "supply curve". We use incremental heat rate curves, fuel cost, and other variable operations and maintenance cost data provided by Duke to estimate marginal costs. This allows us to calculate marginal costs for Duke's units. We order the marginal cost segments for each of the units from lowest cost to highest cost to represent the cost of meeting various levels of demand in a least-cost manner. For our analysis, the curve is re-calculated daily to account for fuel price changes, planned maintenance outages, and planned deratings.

Figure 13 shows the estimated supply curve for a representative day during the time period studied.

Confidential Material Reducted

We use the term marginal cost loosely in this context. The value we calculate is actually the *marginal* running cost and does not include opportunity costs, which may include factors such as outage risks or lost sales in other markets.




Figure 13: Duke Supply Curve

The disputch analysis excludes nuclear and hydro units because their operation is not primarily driven by current system marginal operating costs. Nuclear resources rarely change output levels and the opportunity costs associated with hydroelectric resources make it difficult to accurately estimate their costs.

As the figure shows, the marginal cost of supply increases as more units are required to meet demand, as expected. The highest marginal cost is over MWh. We use each day's estimated marginal cost curve as the basis for estimating Duke's least-cost dispatch for each hour in the study period.

In general, this will not be completely accurate because we do not consider all operating constraints that may require Duke to depart from our estimate of least-cost dispatch. In particular, this analysis does not model generator commitments, assuming instead that all available generators are online. Consistent with this assumption, we limit the hours in this analysis to only include those in-between the morning ramp and the evening ramp to avoid the distortions caused by generation commitments and de-commitments. While market monitoring resources could have been expended to refine the estimated generator commitment and dispatch to make it correspond more closely to actual operating parameters (i.e., start costs, run-time and down-time constraints, etc.), we believe this

simplified incremental-operating-cost approach is adequate to detect instances of significant out-of-merit dispatch that would have a material effect on the market.

When a unit with relatively-low running costs is justifiably not committed, our least-cost dispatch will overstate the out-of-merit quantities because it will identify the more expensive unit being dispatched in its place as out-of-merit. This may result in higher levels of out-of-merit dispatch during low-load periods when it is not economic to commit certain units.


Other justifiable operating factors that cause the out-of-merit dispatch to be overstated are energy limitations and ancillary services. An example of an energy limitation is a coal delivery problem that prevents a coal plant from being fully utilized. Because the coal plant is still capable of operating at full load for a shorter time period, the condition does not result in a planned outage or derating. The necessity to operate the plant at reduced load to conserve coal can cause the out-of-merit values to be overstated.

Ancillary services requirements such as spinning reserves, system ramp rate limitations, and AGC control requirements can make it operationally necessary to dispatch a number of units at part load rather than having the least expensive unit fully-loaded. These operational requirements can cause the out-of-merit values to be overstated. The out-of-merit quantities include units on unplanned outage since a sudden unplanned outage may be an attempt to uneconomically withhold generation from the market.

Overall, our analysis will tend to overstate the quantity of generation that is truly out-of-merit. Accordingly, the accuracy of a single instance of out-of-merit dispatch is not as important as the trend or any substantial departures from the typical levels.

In our analysis, we seek to identify days with significant out-of-merit dispatch that coincides with transmission congestion. Congestion is indicated by flow-based schedule curtailments. Flow-based curtailments are those that are taken close to real-time in order to prevent physical flows from exceeding system operating limits. Out-of-merit dispatch can be used to affect these flows and create the need for curtailments, potentially limiting competition in specific locations. Contract-path-based curtailments, on the other hand, are the result of reserved rights on the contract paths and are unaffected by real-time dispatch.

Figure 14 shows the daily maximum "out-of-merit" dispatch for the peak hours of each day in the study period.



Also shown in the figure are ten days with flow-based curtailments represented by blue bars. The impact of the out-of-merit dispatch is calculated, but during the period of study it was positive for only one day, January 29, but the impact was minimal at less than 0.6 MW. Since, the out-of-merit dispatch did not significantly increase the flow on the congested transmission elements; we do not find this to be evidence of anticompetitive conduct.

There was one spike in out-off-merit dispatch that exceeded 1,000 MW which was not associated with curtailments. The spike is from February 7 through 12,2010 and is caused by the which we find to be justified...


We address this spike because it stands out in the exhibit. There is no evidence of anticompetitive conduct because the derating is justified and did not contribute to curtailments.

We also examined the five dates noted in the Purchases and Sales section above and find the out-of-merit dispatch did not contribute to the curtailments.

#### 2. Output Gap

The output gap is another metric we use to evaluate Duke's generation dispatch. The output gap is the unloaded economic capacity of an available generation resource. The capacity is economic when the prevailing market price exceeds the marginal cost of producing from that unit by more than a specified threshold. We use \$25/MWh and \$50/MWh as two thresholds in our analysis. Hence, at the \$25/MWh threshold, if the prevailing market price is \$60/MWh and a unit with marginal costs of \$40/MWh is unloaded, then we do not consider this part of the output gap because the marginal cost plus the \$25/MWh threshold is greater than the \$60/MWh market price. However if the marginal cost is \$30/MWh, we would consider it in the output gap at the \$25/MWh threshold, but not under the \$50/MWh threshold. This quarter, there were three output gap events at the lower threshold.

We analyze the market for the 16-hour daily on-peak power product, because this is the most liquid market in the VACAR South region and it is where market power would be the most profitable. We compare the prevailing prices for the 16 on-peak hours (which is fixed over the 16-hour period) to the marginal cost of each generator. The daily output gap for each generator is expressed as the output gap for the hour when the generator reaches its peak output level for the day. The results are the summation of the daily output gap of the included generation. Only units that are committed during the day are included in the daily calculation. Hydro and nuclear units are also excluded because nuclear resources rarely change output levels in response to market conditions for a variety of reasons and the opportunity costs associated with hydroelectric resources make it difficult to accurately estimate their costs.



Date

We analyze two sources of data that may be representative of prevailing power prices; the Platts VACAR index and the PJM market prices. The figure shows that output gap occurred on seven days at the \$251MWh threshold and two days at the \$501MWhr threshold. The highest output gap is 22 MW which is insignificant for a system of this size. Accordingly, we do not find evidence of anticompetitive conduct through the withholding of generation.

We also examined the five dates noted in the Purchases and Sales section above and find on the January 4 and II, the output gaps were small and on the rest three days, the output gap was zero.

## 3. Generator Availability

We evaluate generator availability by examining the amount of capacity on outage as well as the ratio of capacity on outage to total capacity. Our first analysis is in Figure 15. We compare the daily average capacity on outage during the on-peak hours as well as the VACAR price and the prices at which Duke made real-time sales.

Figure 15: Outage Quantities





Date

The figure shows that Duke sales prices and the market (VACAR) price are generally well correlated. Some differences are expected because the Duke sales prices reflect real-time transactions while the wholesale prices reflect day-ahead transactions. Our main interest is in unplanned generation outages that cause increases in market prices. The figure does not show periods with high outage volumes that are coincident with significant price spikes.

The correlation between outages and prices is not immediately apparent from the chart. Therefore, we present statistics that help clarify the relationship below, in Figure 17.

Figure 16 shows the average ratio of capacity in outage to total capacity (i.e. the average outage rate) and the VACAR price and the Duke short-term sales price. This chart reveals patterns similar to that revealed in Figure 15. The average forced outage rate over the study period was approximatally percent, which is 11 by industry standards.





Date

Finally, the correlations of the average outage rates to the VACAR price and the short-term sales price are shown in Figure 17.

Figure 17: Correlation of Average Outage Rates with Wholesale Energy Prices

January 2010 – March 2010

	Correlation with VACAR Index	Correlation with Duke Real-Time Sales Prices
Planned Outages	-63%	-20%
Unplanned Outages	2%	-10%

Figure 17 reports both planned and unplanned outages. The unplanned ones are the most important from a market power perspective. Planned oiltages are expected and generally are scheduled in off-peak periods. Unplanned outages can occur during peak times. The negative correlations of the planned outage rate with VACAR index price and Duke real-time sales prices are expected given that planned oiltages are typically scheduled during off-peak periods when prices are lower. The correlation of the unplanned outage rate with Duke real-time prices is also negative. These do not indicate that outages contributed to high prices.

Based on the results, we find no evidence that generation outages were associated with anticompetitive conduct.

## C. Analysis of Transmission Availability

Transmission outages are reviewed in order to determine whether they limit market access and, if so, whether they are justified. There were 155 transmission outages that affected power flows on elements at 100 kV and higher during the period of study. We reviewed these outages with a focus on conditions that would have reduced transfer capability on the key paths when the TTC was reduced and the ATC was near zero as shown in Figure 6 through Figure 10. Based on our review of the shift factors of the equipment in outage to the limiting contingencies for setting TTCs, we found the following outages to be of interest.





Through our investigation of these outages, based on a review of documentation and logs, we find these outages to be reasonable and justified. Accordingly, our analysis of transmission availability did not indicate that Duke reduced market access through unjustified transmission outages.